acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0 Date of compilation: 2023-01-12 **SECTION 1: Identification** 1.1 **Product identifier** Trade name Schemenauer Distribution Bug Off 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Cleaner/degreaser Professional use Industrial use HS code 3402.42.90 1.3 Details of the supplier of the safety data sheet Schemenauer Distribution LLC 651 Progress Way Sanford FL 32771 1-407-668-7831 schemenauerdistribution@gmail.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
B.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning
- Pictograms

GHS05

Hazard statements
 H290 May be corrosive to metals.
 H319 Causes serious eye irritation.

-	Preca	autiona	iry sta	temen	ts
---	-------	---------	---------	-------	----

,	
P234	Keep only in original container.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1-<3	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318
2-butoxy-1-ethanol	CAS No 111-76-2	1-<3	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

Date of compilation: 2023-01-12

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

Date of compilation: 2023-01-12

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Control of the effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota tion	Sourc e
US	2-butoxyethanol	111-76-2	REL	5 (10 h)	24 (10 h)						NIOS H REL
US	2-butoxyethanol	111-76-2	TLV®	20							AC- GIH® 2019
US	2-butoxyethanol	111-76-2	PEL	50	240						29 CFR 1910.1 000
US	2-butoxyethanol (EGBE) (glycol monobutyl ether)	111-76-2	PEL (CA)	20	97						Cal/ OSHA PEL

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless STEL otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Biological limit values										
Country Name of agent Parameter			Nota- tion	Identifier	Value	Source				
US	2-butoxyethanol	Butoxyacetic acid (BAA)	hydr, crea	BEI®	200 mg/g	ACGIH® 2019				
US	2-butoxyethanol	Butoxyacetic acid (BAA)		BEI®	200 m	ıg/g				

inotation

crea hydr

creatinine hydrolysis

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

Relevant DNELs o	f components	of the mix	xture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time			
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects			
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
2-butoxy-1-ethanol	111-76-2	DNEL	75 mg/kg	human, dermal	worker (industry)	chronic - systemic effects			
2-butoxy-1-ethanol	111-76-2	DNEL	98 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
2-butoxy-1-ethanol	111-76-2	DNEL	1,091 mg/ m ³	human, inhalatory	worker (industry)	acute - systemic e fects			
2-butoxy-1-ethanol	111-76-2	DNEL	246 mg/m ³	human, inhalatory	worker (industry)	acute - local effect			
Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organisms	water	intermittent releas			
2-butoxy-1-ethanol	111-76-2	PNEC	463 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)			
2-butoxy-1-ethanol	111-76-2	PNEC	35 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)			
2-butoxy-1-ethanol	111-76-2	PNEC	9.1 ^{mg} / _l	aquatic organisms	water	intermittent releas			
2-butoxy-1-ethanol	111-76-2	PNEC	8.8 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
2-butoxy-1-ethanol	111-76-2	PNEC	0.88 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
2-butoxy-1-ethanol	111-76-2	PNEC	463 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
2-butoxy-1-ethanol	111-76-2	PNEC	35 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
2-butoxy-1-ethanol	111-76-2	PNEC	3.5 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time		
2-butoxy-1-ethanol	111-76-2	PNEC	2.3 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Version number: GHS 1.0

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid		
Color	not determined		
Particle	not relevant (liquid)		
Odor	characteristic		
Other safety parameters			
pH (value)	13 (25 °C) (base)		
Melting point/freezing point	-75 °C at 1 atm		
Initial boiling point and boiling range	100 °C		
Flash point	>100 °C at 1,013 hPa closed cup		
Evaporation rate	Not determined		

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0 Date of compilation: 2023-01-12 Flammability (solid, gas) not relevant, (fluid) Vapor pressure 32 hPa at 25 °C 1 g/_{ml} Density Vapor density this information is not available Solubility(ies) - Water solubility miscible in any proportion Partition coefficient - n-octanol/water (log KOW) this information is not available $230~^{\circ}C$ (auto-ignition temperature (liquids and gases)) Auto-ignition temperature Viscosity not determined Explosive properties none Oxidizing properties none Temperature class (USA, acc. to NEC 500) $T2D \ (\text{maximum permissible surface temperature on the equipment:}$ 215°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United States: en

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0 Date of compilation: 2023-01-12 SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance	CAS No	Exposure route	ATE			
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg} / _{kg}			
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg} / _{kg}			
2-butoxy-1-ethanol	111-76-2	oral	1,414 ^{mg} / _{kg}			
2-butoxy-1-ethanol	111-76-2	inhalation: vapor	11 ^{mg} /ı/4h			

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans						
Name of substance	CAS No	Classification	Remarks	Number		
2-butoxy-1-ethanol	111-76-2	3				

Legend 3

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

Date of compilation: 2023-01-12

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 ^{mg} / _l	fathead minnow	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 ^{mg} / _l	daphnia magna	48 h
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 ^{mg} / _l	algae	96 h
2-butoxy-1-ethanol	111-76-2	LC50	1,474 ^{mg} / _l	fish	96 h
2-butoxy-1-ethanol	111-76-2	EC50	1,550 ^{mg} / _l	aquatic invertebrates	48 h
2-butoxy-1-ethanol	111-76-2	ErC50	1,840 ^{mg} / _l	algae	72 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0 Date of compilation: 2023-01-12 **SECTION 14: Transport information** 14.1 **UN number** DOT UN 3267 IMDG-Code UN 3267 ICAO-TI UN 3267 14.2 UN proper shipping name DOT Corrosive liquid, basic, organic, n.o.s. IMDG-Code CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. ICAO-TI Corrosive liquid, basic, organic, n.o.s. sodium hydroxide Technical name (hazardous ingredients) 14.3 Transport hazard class(es) DOT 8 IMDG-Code 8 ICAO-TI 8 14.4 Packing group DOT Ш IMDG-Code Ш ICAO-TI Ш **Environmental hazards** non-environmentally hazardous acc. to the dangerous 14.5 goods regulations 14.6 Special precautions for user There is no additional information. Transport in bulk according to IMO instruments 14.7 The cargo is not intended to be carried in bulk. Information for each of the UN Model Regulations Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Particulars in the shipper's declaration UN3267, Corrosive liquid, basic, organic, n.o.s., (sodium hydroxide, solution), 8, III Reportable quantity (RQ) 333,333 lbs (151,333 kg) (sodium hydroxide) 8 Danger label(s) Special provisions (SP) IB3, T7, TP1, TP28 ERG No 153 International Maritime Dangerous Goods Code (IMDG) - Additional information Marine pollutant Danger label(s) 8 Special provisions (SP) 223, 274

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Date of compilation: 2023-01-1		sion number: GHS 1.0
		Excepted quantities (EQ)
		Limited quantities (LQ)
S-B		EmS
		Stowage category
Alkalis		Segregation group
R) - Additional information	nization (ICAC	International Civil Aviation Or
		Danger label(s)
		Special provisions (SP)
		Excepted quantities (EQ)

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed as "ACTIVE"|tous les composants sont énumérés comme "ACTIVE"

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
2-butoxy-1-ethanol	111-76-2	co-solvent	OEHHA RELS
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELs

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
2-butoxy-1-ethanol		1022			1.0 %

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0 Date of compilation: 2023-01-12

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
2-butoxy-1-ethanol	111-76-2	A, O	skin

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, Ā

0 subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

skin If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name.

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
2-butoxy-1-ethanol	111-76-2		CA F2

Legend CA

F2

Carcinogenic Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
ETHANOL, 2-BUTOXY-	111-76-2	

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
2-butoxy-1-ethanol	111-76-2	Т

Legend Ŧ

Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987**

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA)	1 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	1 %

Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

Date of compilation: 2023-01-12

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

 DSL
 Domestic Substances List (DSL)

 REACH Reg.
 REACH registered substances

 TSCA
 Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval
LHS	Lower hazard substance
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds

acc. to 29 CFR 1910.1200 App D

Schemenauer Distribution Bug Off

Version number: GHS 1.0	Date of compilation: 2023-01-12
Abbr.	Descriptions of used abbreviations

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Very Persistent and very Bioaccumulative

Classification procedure

vPvB

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.